


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1032.63



Biltmore Nursery

WHOLESALE TRADE-LIST

SEASON OF 1905-1906

BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

THE BILTMORE NURSERY was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue, or trade-list, was issued. In this, our seventh published price-list, is offered all of the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents, our entire business being transacted from our office at Biltmore, North Carolina.

OUR LOCATION is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 15° below zero. The variations in temperature peculiar to the Southern Alleghany region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

QUALITY OF STOCK unusually good in root-formation, thriftiness and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.

LANDSCAPE ARCHITECTS will find our stock particularly suited to the demands of forest, park and suburban planting.

PROPAGATING CAPACITY. Our greenhouses and coldframes cover an area of 75,000 square feet, which, in connection with seed-beds of more than three acres' extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings and transplanted plants.

NURSEYMEN will find the small plants particularly valuable for transplanting into nursery rows.

A CERTIFICATE from the State Entomologist will be sent with each shipment. The stock of the Biltmore Nursery was inspected on the 3d day of August, 1905, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

FUMIGATING HOUSE. We are prepared to fumigate with hydrocyanic acid gas all or any nursery stock when state laws or customers require such treatment.

PACKING. The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

BOXES, including packing and delivery to freight or express depots:

14 feet long, 30 x 30 inches	\$3 25 each.
12 " " 30 x 30 "	3 00 "
10 " " 30 x 30 "	2 75 "
8 " " 30 x 30 "	2 50 "
6 " " 24 x 24 "	1 85 "

BALES, according to size, including delivery to nearest station, 15 cents to \$2.50.

DIRECTIONS FOR SHIPPING. In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

OUR RESPONSIBILITY. All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery or condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the original price of the plants.

CLAIMS. Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay. All claims must be filed within ten days after the arrival of the shipments.

RATES. The prices in this list supersede all previous rates and apply to quantities specified; but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders.

TERMS CASH on or before delivery to forwarding agents, except that we extend credit to responsible patrons by agreement, subject to the following limitations:—Invoices executed during the autumn are due and payable on or before the 31st day of December following; those covering spring shipments are due and payable on or before June 1, 1906.

PACKING SEASON. We ship from October 1 to May 1, with slight interruptions during midwinter.

FREIGHT RATES in effect October 1, 1905, from Biltmore to several points are here shown.

ROUTE	—————PER HUNDRED POUNDS TO—————							
	BALTIMORE,		PHILADELPHIA,		NEW YORK,		PROVIDENCE AND	
	MD.		PA.		N. Y.		BOSTON	
	CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water	37	50	40	55	40	55	45	60
All Rail	42	58	45	63	45	63	50	68

Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

BILTMORE NURSERY

TREES

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted

	Height	Per 10	100	1,000
Abies douglasii. See Pseudotsuga mucronata.				
Acer glabrum , Dwarf, or Rocky Mountain Maple				
twice tr.	1 ft.	\$1 00	\$8 75	
" leucoderme , White-barked Maple tr.	2½ to 3½ ft.	2 00	15 00	
" negundo (<i>Negundo aceroides</i>), Ash-leaved Maple tr.	4 to 5 ft.	1 00	8 50	
" " tr.	6 to 7 ft.	1 25	10 00	
" nigrum , Black Sugar Maple tr.	1½ to 2½ ft.	75	5 00	
" " tr.	3 to 4 ft.	1 00	7 50	
" rubrum , Red Maple tr.	3 to 4 ft.	1 00	8 75	
" " tr.	4 to 5 ft.	1 25	10 00	
" " tr.	5 to 6 ft.	1 50	12 50	
" saccharinum (<i>A. dasycarpum</i>), Silver Maple. tr.	8 to 9 ft.	1 75	15 00	
" saccharum , Sugar Maple tr.	2 to 3 ft.	75	4 00	\$30 00
" " tr.	5 to 6 ft.	1 75	15 75	
" spicatum , Mountain Maple tr.	3 to 4 ft.	1 25	10 00	
" tataricum , Tartarian Maple tr.	2 to 3 ft.	1 25	10 00	85 00
Alnus incana , Speckled or Hoary Alder tr.	8 to 10 ft.	1 50	10 00	
Betula lutea , Yellow Birch tr.	3 to 4 ft.	75	6 00	
" " tr.	5 to 6 ft.	1 00	8 00	75 00
" " tr.	8 to 9 ft.	1 50	10 00	95 00
" nigra , River Birch tr.	5 to 6 ft.	1 25	8 75	
Biota. See Thuja.				
Carpinus caroliniana , American Hornbeam. twice tr.	2 to 3 ft.	2 00	17 50	
" " twice tr.	5 to 6 ft.	3 50	30 00	
Castanea dentata , American Chestnut S.	1 to 1½ ft.	25	1 25	10 00
Carya. See Hicoria.				
Cedrus deodara , Indian Cedar twice tr.	1½ to 2 ft.	2 50		
Celtis chinensis , Chinese Hackberry tr.	2 to 3 ft.	1 75		
Cerasus. See Prunus.				
Cercis canadensis , Red-Bud or Judas Tree . . . tr.	3 to 4 ft.	75	5 00	40 00
" " twice tr.	5 to 6 ft.	1 00	8 50	70 00
" " twice tr.	6 to 8 ft.	1 50	12 50	100 00
Chamaecyparis lawsoniana (<i>Cupressus</i>).				
" Lawson's Cypress twice tr.	3 to 4 ft.	2 50	22 50	
" nootkatensis , Nootka Sound Cypress twice tr.	1 to 1½ ft.	2 00	17 50	
" obtusa , Japanese Cypress tr.	1 to 1½ ft.	2 00	17 50	
" pisifera (<i>Retinospora</i>) tr.	2 to 3 ft.	1 50	12 50	
" pisifera filifera tr.	2 to 2½ ft.	1 50	12 50	
" plumosa (<i>Retinospora</i>) tr.	2 to 3 ft.	1 25	10 00	
" " twice tr.	3 ft.	2 50		
" aurea tr.	2 to 3 ft.	1 25	10 00	
" " twice tr.	3 to 4 ft.	2 50	22 50	
" squarrosa twice tr.	3 to 4 ft.	3 75	35 00	
" thyoides andelyensis , Andely's Cedar twice tr.	12 to 15 in.	1 00	8 50	
" " variegata , Variegated White Cedar . twice tr.	2 to 3 ft.	2 50	22 50	
Chionanthus virginica , White Fringe . . . twice tr.	1 to 1½ ft.	1 00	7 50	
Cladrastis lutea , Yellow Wood tr.	1 to 2 ft.	1 00	7 50	

TREES, continued

		Height	Per 10	100	1,000
Cornus florida , White-flowered Dogwood S.		10 to 16 in.	\$0 25	\$2 00	\$10 00
" "	tr.	1 to 1½ ft.	50	4 00	30 00
" "	twice tr.	2 to 2½ ft.	75	6 00	50 00
" "	heavy, twice tr.	3 to 4 ft.	1 25	10 00	
" "	heavy, twice tr.	5 to 6 ft.	1 50	13 50	
" "	heavy, twice tr.	6 to 8 ft.	2 00	17 50	
For other species, see Shrubs					
Crataegus apiifolia , Parsley-leaved Thorn tr.		2½ to 3½ ft.	2 00	17 50	
" boyntonii , Boynton's Thorn tr.		3 to 4 ft.	1 25	10 00	
" buckleyi , Buckley's Thorn . . . twice tr.		3 to 4 ft.	1 25	10 00	
" coccinioides , Missouri Thorn tr.		1½ to 2½ ft.	1 25	10 00	
" collina , Hillside Thorn tr.		2½ to 3½ ft.	1 25	10 00	
" cordata , Washington Thorn . . . twice tr.		4 to 5 ft.	2 00		
" crus-galli , Cockspur Thorn S.		4 to 6 in.	25	2 00	12 00
" harbisoni , Harbison's Thorn tr.		3 to 4 ft.	1 50	12 50	
" "	tr.	4 to 6 ft.	1 75	15 00	
" mollis , Downy-leaved Thorn tr.		5 to 6 ft.	2 00		
" nitida , Shining Thorn tr.		1 to 1½ ft.	1 25	10 00	
" oxyacantha , White or May Thorn . . . tr.		4 to 5 ft.	1 25	10 00	
" punctata , Large-fruited Thorn S.		1 to 1½ ft.	25	2 00	12 00
" "	tr.	3 to 4 ft.	1 25	10 00	85 00
" "	heavy, twice tr.	5 to 6 ft.	1 65	15 00	
" spatulata , Small-fruited Thorn . . . tr.		4 to 5 ft.	1 75	15 00	
" tomentosa , Pear Haw tr.		2½ to 3½ ft.	1 25	10 00	
" uniflora , One-flowered Thorn tr.		2 to 3 ft.	1 50		
" viridis , Southern Haw tr.		3 to 4 ft.	1 25	10 00	85 00
" "	tr.	5 to 6 ft.	1 50	13 75	100 00
Cupressus. See Chamæcyparis .					
Fagus americana , American Beech tr.		10 to 12 in.	25	2 00	15 00
Fraxinus biltmoreana , Biltmore Ash . . . twice tr.		6 to 8 ft.	3 00	25 00	
" lanceolata (<i>F. viridis</i>), Green Ash, twice tr.		10 to 12 ft.	3 00	27 50	
" nigra , Black Ash tr.		3 to 4 ft.	60	5 00	45 00
" "	twice tr.	5 to 6 ft.	1 00	8 50	
" pennsylvanica (<i>F. pubescens</i>), Red Ash, tr.		6 to 8 ft.	1 00	8 50	
" "	twice tr.	8 to 10 ft.	1 50	12 50	
" "	twice tr.	10 to 12 ft.	3 00	27 50	
" "	heavy, twice tr.	12 to 15 ft.	3 50	32 50	
Ginkgo biloba (<i>Salisburia adiantifolia</i>), Maiden-hair Tree tr.		3 to 4 ft.	1 50	12 50	
Gleditsia triacanthos , Honey Locust tr.		3 to 4 ft.	1 00	8 50	
Halesia. See Mohrodendron .					
Hicoria aquatica (<i>Carya aquatica</i>), Water Hickory tr.		3 to 4 ft.	1 25	10 00	
" minima (<i>Carya amara</i>), Bitternut . . . tr.		3 to 4 ft.	1 00	8 50	
" "	tr.	4 to 5 ft.	1 50	12 50	30 00
Juglans mandschurica twice tr.		6 to 8 ft.	1 75	15 00	
" nigra , Black Walnut 3 yrs., S.		3 to 4 ft.			13 50
" "	tr.	2½ to 3½ ft.	1 00	6 00	
" "	tr.	4 to 5 ft.	1 25	10 00	
" "	tr.	6 to 8 ft.	1 50	12 50	
" "	heavy, tr.	6 to 8 ft.	1 75	15 00	
" "	heavy, tr.	8 to 9 ft.	2 50	22 50	
Juniperus rigida , Stiff Juniper tr.		7 to 8 ft.	10 00		
" virginiana , Red Cedar tr.		1 to 1½ ft.	1 50	12 00	
For other species, see Shrubs.					
Koeleuteria paniculata , Varnish Tree tr.		1½ to 2½ ft.	85	7 50	60 00
" "	tr.	3 to 4 ft.	1 00	8 50	75 00

TREES, continued

		Height	Per 10	100	1,000
Koeleruteria paniculata , Varnish Tree tr.	4 to 5 ft.	\$1 25	\$10 00	\$85 00	
" " select, tr.	5 to 6 ft.	1 75	15 00		
Libocedrus decurrens , Post Cedar tr.	1½ to 2 ft.	2 00			
Liquidambar styraciflua , Sweet Gum tr.	2 to 2½ ft.	50	4 00	30 00	
Liriodendron tulipifera , Tulip Tree tr.	1½ to 2½ ft.	50	4 00	30 00	
" " tr.	3 to 4 ft.	1 00	7 50	60 00	
" " select, tr.	5 to 6 ft.	2 00	15 00	125 00	
" " select, tr.	7 to 8 ft.	2 50	22 50		
" " heavy select, tr.	8 to 10 ft.	3 00	25 00		
Magnolia acuminata , Cucumber Tree tr.	5 to 6 ft.	1 50	12 50		
" foetida (<i>M. grandiflora</i>), Southern Magnolia tr.	1 to 1½ ft.	2 00	15 00		
" kobus , Japanese Magnolia tr.	2½ to 3½ ft.	2 00			
" " twice tr.	3 to 4 ft.	3 50	30 00		
" obovata (<i>M. purpurea</i>) twice tr.	2½ to 3½ ft.	1 75	15 00		
Malus . See Pyrus .					
Mohrodendron carolinum (<i>Halesia tetraptera</i>), Silver Bell 2 yrs. S. tr.	1½ to 2½ ft.		2 50	15 00	
" " tr.	2½ to 3½ ft.	1 00	8 00		
" " tr.	5 to 6 ft.	1 50			
Morus tatarica , Russian Mulberry tr.	4 to 5 ft.	2 50			
Negundo . See Acer negundo .					
Phellodendron amurense , Chinese Cork Tree . . tr.	5 to 6 ft.	1 50	12 50		
Picea canadensis (<i>P. alba</i>), White Spruce . twice tr.	3 to 4 ft.	2 00	15 00		
" " twice tr.	4 to 5 ft.	2 75	25 00		
" excelsa , Norway Spruce twice tr.	6 to 8 in.		2 00	15 00	
" " twice tr.	12 to 18 in.	50	3 00	25 00	
" parryana (<i>P. pungens</i>), Rocky Mountain Spruce twice tr.	2 to 3 ft.	3 75			
" " twice tr.	3¼ to 4 ft.	5 00			
" rubens (<i>P. rubra</i>), Red Spruce . . twice tr.	1½ to 2 ft.	2 50	22 50		
" " twice tr.	2½ to 3½ ft.	3 50	32 50		
Pinus excelsa , Himalayan Pine tr.	4 to 5 ft.	3 50			
" laricio , Corsican Pine tr.	3 to 4 ft.	2 50			
" monticola , Mountain White Pine . . . tr.	1½ to 2 ft.	2 50			
" strobus , White Pine 2 yrs., S.				12 50	
" thunbergi , Thunberg's Pine tr.	3½ to 4½ ft.	2 50	20 00		
" " tr.	6 to 7 ft.	3 00	25 00		
Platanus occidentalis , American Plane . . thrice tr.	8 to 10 ft.	1 75	15 00		
" " thrice tr.	10 to 12 ft.	2 50	22 50		
" " thrice tr.	12 to 14 ft.	2 75			
Populus deltoides , Carolina Poplar . 2½ in Cal., tr.	15 to 18 ft.	2 75	25 00		
Prunus americana , Wild Yellow or Red Plum . . tr.	5 to 6 ft.	1 50	10 00		
" pennsylvanica , Wild Red Cherry S.	4 to 6 in.			7 50	
" serotina , Wild Black Cherry S.	4 to 6 in.			7 50	
" " tr.	6 to 8 ft.	1 00	8 50		
Pseudotsuga mucronata (<i>Abies douglasii</i>), Douglas' Spruce . twice tr.	3 to 4 ft.	3 50			
Pyrus angustifolia , Narrow-leaved Crab S.	6 to 10 in.			7 50	
" arbutifolia . See Aronia , under Shrubs .					
" baccata , Siberian Crab tr.	5 to 6 ft.	1 00	8 50		
" " tr.	7 to 8 ft.	1 25	10 00		
" coronaria , Wild Crab Apple S.	4 to 6 in.			7 50	
Pyrus japonica . See Shrubs .					
" nlgra . See Aronia , under Shrubs .					

TREES, continued

		Height	Per 10	100	1,000
Quercus alba , White Oak	S.	12 to 18 in.			\$7 50
"	tr.	4 to 5 ft.	\$2 50	\$20 00	
" coccinea , Scarlet Oak	S.	18 to 24 in.			7 50
"	tr.	5 to 6 ft.	2 50	20 00	
" digitata (<i>Q. falcata</i>), Spanish Oak	S.	2 to 3 ft.		2 50	
" imbricaria , Shingle Oak	S.	2 to 3 ft.		2 50	15 00
" lyrata , Swamp or Overcup Oak	S.	10 to 16 in.		2 50	12 00
"	tr.	5 to 6 ft.	2 50		
" michauxi , Basket Oak	S.	10 to 12 in.		2 50	
" nigra (<i>Q. aquatica</i>), Water Oak	S.	6 to 8 in.		2 50	12 00
" palustris , Pin Oak	S.	12 to 16 in.			12 00
" pedunculata , English Oak	tr.	6 to 8 ft.	2 50	20 00	
" phellos , Willow Oak	S.	6 to 10 in.		2 50	12 00
" prinus , Chestnut Oak	S.	16 to 20 in.			7 50
"	tr.	4 to 5 ft.	2 50	20 00	
" rubra , Red Oak	S.	20 to 30 in.			7 50
"	tr.	5 to 6 ft.	2 50	20 00	
Retinospora. See Chamæcyparis .					
Rhododendron. See Shrubs .					
Robinia pseudacacia , Yellow Locust	tr.	5 to 6 ft.	1 00	8 50	
For other species, see Shrubs .					
Salix nigra , Black Willow	heavy, tr.	6 to 8 ft.	1 00	8 50	
For other species, see Shrubs .					
Thuja occidentalis , American Arborvitæ	twice tr.	2 to 3 ft.	1 25	8 50	72 50
" aurea	twice tr.	1 to 1½ ft.	1 50	12 50	
"	twice tr.	3 to 4 ft.	2 50	20 00	
" maculata	twice tr.	1 to 1½ ft.	1 50	12 50	
"	twice tr.	3 to 4 ft.	2 50	20 00	
" filicoides	twice tr.	1½ to 2 ft.	1 50	13 50	
"	twice tr.	3 to 4 ft.	2 50	20 00	
" globosa	tr.	10 to 12 in.	1 25	8 50	72 50
"	twice tr.	1½ to 2 ft.	2 50	20 00	
"	heavy, twice tr.	3 to 4 ft.	7 50	72 50	
"	heavy, thrice tr.	4 to 5 ft.	27 50		
" pyramidalis	tr.	2 to 3 ft.	1 25	10 00	
"	twice tr.	3 to 4 ft.	1 50	13 50	
"	twice tr.	4 to 5 ft.	2 50	22 50	
" White-tipped	twice tr.	2 to 2½ ft.	2 50		
"	twice tr.	2½ to 3 ft.	3 50		
" orientalis (<i>Biota</i>), Oriental Arborvitæ	twice tr.	2 to 2½ ft.	2 50	22 50	
" compacta	tr.	1½ to 2 ft.	2 50	22 50	
"	twice tr.	2 to 2½ ft.	3 50	32 50	
"	twice tr.	2½ to 3 ft.	4 50		
Tsuga canadensis , Canadian Hemlock	tr.	1 ft.		5 25	45 00
"	twice tr.	1½ to 2 ft.	1 50	12 50	100 00
"	select, twice tr.	2½ to 3 ft.	2 00	18 75	175 00
"	select, thrice tr.	3 to 4 ft.	2 50	22 50	
"	tr. specimens with balls, 12 ft.				
	each, \$3.25.				
" caroliniana , Carolina Hemlock	tr.	1 to 1½ ft.	1 50	13 50	
"	tr. specimens with balls, 9 ft.				
	each, \$4.25.				
" mertensiana , Western Hemlock	tr.	3 to 4 ft.	5 00		
Ulmus alatus , Winged or Wahoo Elm	tr.	2 to 3 ft.	1 25	10 00	
" americana , American or White Elm	tr.	14 to 16 ft.	10 00		

SHRUBS

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted

	Height	Per 10	100	1,000
Abelia chinensis (<i>A. rupestris</i>), Chinese Abelia . tr.	12 to 15 in.	\$1 50	\$12 50	\$100 00
" " . tr. specimens with balls, \$1 each.	3 to 4 ft.			
Adelia acuminata (<i>Forestiera acuminata</i>),				
Pointed-leaved Adelia . . . tr.	3½ to 4½ ft.	1 00	8 00	70 00
" " tr.	5 to 6 ft.	1 50	10 00	
" ligustrina (<i>Forestiera ligustrina</i>), Privet-				
leaved Adelia tr.	2 to 3 ft.	1 00	8 00	
Althæa . See Hibiscus .				
Amorpha tennesseensis , Tennessee Indigo . . . tr.	2½ to 3 ft.	1 00	6 00	50 00
" " tr.	4 to 5 ft.	1 50	8 00	67 50
Andromeda calyculata . See Chamædaphne .				
japonica . See Pieris .				
ligustrina . See Xollisma .				
polifolia , Wild Rosemary tr.	10 to 12 in.	1 00	6 00	
Aralia chinensis (<i>A. japonica</i>), Chinese Angelica . tr.	4 to 6 ft.	1 65	12 00	
Arctostaphylos uva-ursi , Bearberry tr.	10 to 12 in.	75	6 00	50 00
Aronia arbutifolia (<i>Pyrus arbutifolia</i>), Chokeberry. tr.	2 to 3 ft.	1 00	8 50	75 00
" nigra (<i>Pyrus nigra</i>), Black Chokeberry . . tr.	2½ to 3½ ft.	1 00	8 50	
Azalea amœna tr.	10 to 12 in.	2 50	20 00	
" arborescens , Tree Azalea tr.	8 to 12 in.	75	8 50	80 00
" " twice tr.	1 to 1½ ft.	1 75	15 00	135 00
" " select heavy . twice tr.	1½ to 2 ft.	2 00	17 50	
" lutea (<i>A. calendulacea</i>), Flame Azalea . . tr.	12 to 15 in.	1 00	8 50	
" nudiflora , Pinkster Flower tr.	6 to 8 in.	75	6 50	
" viscosa , Swamp Pink, or Honeysuckle . tr.	6 to 8 in.	75	6 50	
" " tr.	10 to 16 in.	1 00	8 50	50 00
Baccharis halimifolia , Groundsel-bush, or Pen-				
cil-tree tr.	3½ to 4½ ft.	1 00	7 50	60 00
Benzoin benzoin (<i>Lindera benzoin</i>), Spice-bush . tr.	10 to 12 in.	50	4 00	32 50
Berberis asiatica , Asiatic Barberry tr.	2½ to 3½ ft.	1 00	8 50	
" congestiflora , Chilean Barberry tr.	2 to 3 ft.	1 50	10 00	
" " tr.	3 to 4 ft.	1 65	12 50	
" heteropoda , Turkestan Barberry . . . tr.	2 to 3 ft.	1 50	10 00	
" " tr.	3 to 4 ft.	1 65	12 50	
" japonica , Japanese Mahonia tr.	6 to 12 in.	1 65	12 50	
" sanguineolenta , Scarlet Barberry . . . tr.	3 to 4 ft.	1 65	12 50	
" sinensis , Chinese Barberry tr.	3½ to 4½ ft.	1 65	12 50	
" thunbergi , Thunberg's Barberry S.	8 to 12 in.	25	2 00	15 00
" " tr.	1½ to 2½ ft.	65	5 50	50 00
" " heavy, tr.	2½ to 3½ ft.	1 00	6 25	57 50
" vulgaris , Common European Barberry . tr.	2 to 3 ft.	50	4 25	40 00
" " tr.	3 to 4 ft.	75	6 00	50 00
" " purpurea , Purple Barberry . . tr.	2 to 3 ft.	1 00		
Biota . See Thuya , under Trees .				
Buddleia lindleyana , Chinese Buddleia tr.	1 to 1½ ft.	1 00	8 00	
" " tr.	6 to 7 ft.	1 50	10 00	
" variabilis , Sweet-scented Buddleia . . . tr.	4 to 5 ft.	2 50		
Butneria fertilis (<i>Calycanthus lœvigatus</i>), Smooth				
Strawberry Shrub tr.	1 to 1½ ft.	65	5 00	42 50

SHRUBS, continued

		Height	Per 10	100	1,000
Butneria fertilis (<i>Calycanthus lœvigatus</i>), Smooth					
Strawberry Shrub tr.	2 to 3 ft.	\$1 00	\$7 50	\$65 00	
" tr.	5 to 6 ft.	1 50			
floridus (<i>Calycanthus floridus</i>) tr.	1 to 2 ft.	75	6 00	50 00	
" tr.	2½ to 3 ft.	1 00	8 00	70 00	
Buxus sempervirens , Boxwood tr.	8 to 10 in.	50	4 50	42 50	
" untrimmed, 4 times tr.	1½ to 2 ft.	4 00			
" untrimmed, 4 times tr.	2 to 3 ft.	5 00			
" trimmed, 4 times tr., \$1.25 ea.	1½ ft.				
" trimmed, 4 times tr., \$1.75 ea.	2 to 3 ft.				
arborescens tr.	12 to 14 in.	60	5 00		
pyramidalis tr.	12 to 14 in.	60	5 00		
salicifolia tr.	12 to 14 in.	60	5 00		
suffruticosa , Dwarf Boxwood tr.	3 to 4 in.		2 50	20 00	
" tr.	4 to 6 in.		2 75	22 50	
Callicarpa purpurea , Purple-fruited Callicarpa . tr.	3 to 4 ft.	50	4 50	40 00	
" heavy, tr.	3½ to 4½ ft.	75	6 50	60 00	
Calluna vulgaris , Scotch Heather tr.	12 to 16 in.	1 00	6 00		
Calycanthus . See Butneria .					
Caragana chamlagu , Mongolian Pea Shrub . . . tr.	2 to 3 ft.	1 25	8 50	75 00	
Caryopteris mastacanthus , Chinese Beardwort . tr.	2 to 3 ft.	1 25	8 50	75 00	
Cassandra . See Chamædaphne .					
Cephalanthus occidentalis , Button Bush . . . tr.	3 to 4 ft.	1 00	7 50	60 00	
" heavy, tr.	4 to 5 ft.	1 50	10 00		
Chamædaphne calyculata (<i>Cassandra calyculata</i>), Leather-leaf . tr.	1 ft.	45	3 75	30 00	
" select, tr.	1 to 1½ ft.	75	6 50	60 00	
" select, heavy, tr.	2 ft.	1 00	8 75		
Citrus trifolius , Hardy Lemon S.	4 to 6 in.	25	2 00	15 00	
Clethra alnifolia , Sweet Pepper-bush tr.	6 to 8 in.	30	2 50	20 00	
" tr.	1 to 1½ ft.	45	3 75	32 50	
" tr.	2 to 3 ft.	75	7 00	67 50	
" select, heavy, tr.	3 to 4 ft.	1 25	10 00		
Cornus alternifolia , Alternate-leaved Dogwood . tr.	3 to 4 ft.	1 00			
amonum (<i>C. sericea</i>), Silky Dogwood . . tr.	2 to 3 ft.	75	5 00	40 00	
" heavy, tr.	4 to 5 ft.	1 00	6 75	55 00	
circinata , Round-leaved Cornel S.	10 to 12 in.	25	2 00	17 50	
candidissima (<i>C. paniculata</i>), Panicked					
Cornel or Dogwood . . tr.	2½ to 3½ ft.	75	6 00	52 50	
" tr.	4 to 5 ft.	1 00	8 50		
florida . See Trees .					
stolonifera , Red Osier Cornel S.	8 to 12 in.	25	2 00	17 50	
" tr.	2 to 3 ft.	75	6 50	60 00	
" select, heavy, tr.	4 to 5 ft.	1 25	10 00	87 50	
Corylus americana , Hazel-nut S.	1 to 1½ ft.	25	2 00	17 50	
" tr.	6 to 8 ft.	1 25	10 00		
maxima purpurea , Purple-leaved Filbert.tr.	3 to 4 ft.	1 75			
rostrata , Beaked Hazel S.	8 to 12 in.	25	2 25		
" tr.	1 to 2 ft.	1 00	8 50		
Cotoneaster microphylla , Nepaulese Cotoneaster.tr.	8 to 12 in.	1 00	8 50		
multiflora , Chinese Cotoneaster . . tr.	6 to 8 ft.	1 50	10 00		
nummularia tr.	6 to 7 ft.	2 50			

Cratægus. See **Trees**.

Cydonia. See **Pyrus japonica**.

Desmodium penduliflorum. See **Lespedeza**,
under **Herbaceous Plants**, etc.

SHRUBS, continued

	Height	Per 10	100	1,000
Deutzia crenata candidissima . . . heavy, twice tr.	5½ to 6 ft.	\$1 50	\$10 00	\$85 00
“ “ rosea tr.	3½ to 4½ ft.	1 00	8 00	
“ “ heavy, twice tr.	5½ to 6 ft.	1 50	10 00	
“ gracilis , Slender Deutzia tr.	1½ to 2 ft.	1 00	8 00	
Diervilla diervilla (<i>D. trifida</i>), Bush Honeysuckle . tr.	2 to 2½ ft.	1 00	8 50	
“ floribunda (<i>Weigelia</i>) tr.	3 to 4 ft.	1 50	10 00	
“ select, tr.	5 to 6 ft.	2 00	15 00	
“ grandiflora , Rose select, tr.	3 to 4 ft.	1 50	12 50	
“ “ Variegated select, tr.	3 to 4 ft.	1 50	12 50	
“ “ White select, tr.	3 to 4 ft.	1 50	12 50	
“ rivularis , Gattinger's Bush Honeysuckle tr.	3 to 4 ft.	1 50	12 50	
“ sessilifolia , High Bush Honeysuckle . tr.	2 to 3 ft.	1 50	12 50	
Elæagnus longipes , Silver Thorn tr.	2 to 3 ft.	1 25	10 00	
Erica stricta , Corsican Heath tr.	4 to 6 in.	1 00	8 00	
“ tetralix , Cross-leaved Heath tr.	4 to 6 in.	1 00	8 00	
“ vagans , Cornish Heath tr.	4 to 6 in.	1 00	8 00	
Euonymus alatus , Winged Euonymus tr.	6 to 8 in.	1 75	15 00	
“ americanus , Strawberry Bush . . . tr.	3 to 4 ft.	1 25	10 00	
“ angustifolius , Narrow-leaved Spindle-tree tr.	2 to 2½ ft.	1 00	8 50	
“ bungeanus , Bunge's Spindle Tree . tr.	5 to 6 ft.	1 50	12 50	
“ hamiltonianus , Hamilton's Spindle-tree tr.	4 to 5 ft.	1 50		
“ japonicus , Japanese Euonymus . . tr.	1½ to 2 ft.	1 25	10 00	85 00
“ “ microphyllus tr.	8 to 10 in.	1 00	8 00	75 00
“ radicans , Climbing Euonymus . . tr.	6 to 12 in.	65	5 50	
“ sieboldianus , Siebold's Spindle-tree tr.	2 to 3 ft.	1 50	12 50	
Exochorda grandiflora , Pearl Bush tr.	2 to 3 ft.	1 00	8 75	80 00
“ “ tr.	5 to 6 ft.	1 50		
“ “ select, tr.	5 to 6 ft.	1 50	12 50	
Fontanesia phyllæroides select, tr.				
Forestiera . See Adelia .				
Forsythia suspensa , Golden Bell tr.	2 to 2½ ft.	50	4 50	40 00
“ “ tr.	3 to 4 ft.	75	6 00	50 00
“ viridissima , Dark Green Forsythia . tr.	2 to 3 ft.	50	4 50	40 00
“ “ tr.	3½ to 4½ ft.	75	6 00	50 00
“ “ select, tr.	5 to 6 ft.	1 25	10 00	
Fothergilla carolina , Small Fothergilla tr.	8 to 10 in.	2 00	17 50	
“ major , Large Fothergilla tr.	2 to 2½ ft.	3 75		
Genista præcox , Early Genista tr.	10 to 12 in.	1 25	10 00	
“ scoparia , Scotch Broom tr.	3 to 4 ft.	1 75		
Hamamelis virginiana , Witch Hazel tr.	2 to 3 ft.	75	6 50	60 00
“ “ select, tr.	3½ to 4 ft.	1 00	8 50	75 00
“ “ select, twice tr.	4 to 5 ft.	1 50	12 50	100 00
Hibiscus syriacus (<i>Althæa</i>), Rose of Sharon, double and single forms, separate colors tr.	3 to 4 ft.	65	5 50	45 00
“ “ twice tr.	4 to 5 ft.	75	6 50	55 00
“ “ select, twice tr.	5 to 6 ft.	1 00	7 50	65 00
“ “ select, heavy, twice tr.	5 to 6 ft.	1 50	12 50	
Hydrangea arborescens , Wild Hydrangea . . . tr.	1 to 1½ ft.	1 00	7 50	
“ hirta tr.	3½ to 4 ft.	1 50	12 50	
“ hortensis , Garden Hydrangea, in varieties 3 to 4 yrs. tr.		1 50	12 50	
“ paniculata , Panicked Hydrangea . . tr.	2 to 2½ ft.	1 00	7 50	50 00
“ “ tr.	3 to 4 ft.	1 25	10 00	75 00
“ “ select, heavy tr.	4 to 5 ft.	1 50	12 50	100 00

SHRUBS, continued

		Height	Per 10	100	1,000
Hydrangea paniculata grandiflora , Large-flower-					
	ed Hydrangea . . . tr.	1 to 2 ft.	\$0 75	\$5 50	\$50 00
"	" tr.	2 to 3 ft.	1 00	7 50	
"	quercifolia , Oak-leaved Hydrangea . tr.	6 to 12 in.	2 50	22 50	
"	radiata , Downy Hydrangea tr.	1 ft.	1 00	7 50	
Hypericum aureum , Large-flowered St. John's-					
	wort tr.	1 ft.	1 00	8 50	75 00
"	buckleyi , Buckley's St. John's-wort . tr.	4 to 6 in.	1 00	8 50	
"	densiflorum , Dense-flowered St.				
	John's-wort . . . tr.	1 to 1½ ft.	50	4 00	35 00
"	" tr.	2 to 2½ ft.	75	5 50	45 00
"	glomeratum , Mountain St. John's-				
	wort tr.	12 to 18 in.	50	4 00	
"	" tr.	1½ to 2 ft.	75	5 50	45 00
"	kalmianum , Kalm's St. John's-wort . tr.	2 to 2½ ft.	1 00	8 50	
"	lobocarpum , Gattinger's St. John's-				
	wort tr.	2½ to 3 ft.	1 00	8 50	
"	patulum tr.	1½ to 2 ft.	1 00	8 50	
"	prolificum , Shrubby St. John's-wort . tr.	2 to 2½ ft.	50	4 00	
"	" tr.	2½ to 3 ft.	75	5 50	45 00
"	sphaerocarpum . See Herbaceous				
	Plants, etc.				
Ilex crenata , Japanese Holly tr.		8 to 10 in.	75	5 00	40 00
"	" tr.	1 ft.	1 00	8 50	75 00
"	" twice tr.	1½ to 2 ft.	1 25	10 00	87 50
"	verticillata , Black Alder tr.	1½ to 2 ft.	75	6 00	
"	" tr.	2 to 3 ft.	1 00	8 50	
"	" tr.	3 to 4 ft.	1 50		
Itea virginica , Virginia Willow tr.		1½ to 2 ft.	50	4 00	37 50
"	" tr.	2½ to 3 ft.	75	5 50	47 50
"	" heavy, tr.	3½ to 4 ft.	1 00	8 00	75 00
Jasminum humile (<i>J. reevesi</i>), Yellow Italian					
	Jasmine tr.	2½ to 3½ ft.	1 00	8 50	
"	nudiflorum , Naked-flowered Jasmine . tr.	2½ to 3½ ft.	1 00	6 00	40 00
Juniperus chinensis , Chinese Juniper tr.		2 to 3 ft.	2 00	17 50	
"	" procumbens twice tr.	2 to 3 ft.	2 50		
"	communis hibernica , Irish Juniper . . tr.	1½ to 2½ ft.	2 00	17 50	
"	" tr.	3½ to 4 ft.	2 50	22 50	
"	" suecica , Swedish Juniper . tr.	2 to 3 ft.	1 50	10 00	
"	" tr.	3 to 4 ft.	1 75	15 00	
"	nana (<i>J. communis alpina</i>), Prostrate				
	Juniper tr.	6 to 10 in.	75	6 00	50 00
"	" tr.	1 to 1½ ft.	1 00	8 00	75 00
"	" select, tr.	2 to 2½ ft.	1 25	10 00	90 00
"	sabina prostrata , Dwarf Savin . . . tr.	1½ to 2½ ft.	1 50	12 00	100 00
For other species, see Trees.					
Kalmia latifolia , Calico-bush tr.		2 to 2½ ft.	3 75	35 00	
"	" tr.	2½ to 3 ft.	5 00	45 00	400 00
Leucothoë catesbæi , Catesby's Leucothoë . . pots		10 to 12 in.	50	4 00	35 00
"	racemosa , Swamp Leucothoë . . . tr.	6 to 12 in.	50	3 50	30 00
"	" tr.	1 to 1½ ft.	75	5 50	45 00
"	" tr.	2 to 3 ft.	1 00	8 50	75 00
"	" select, tr.	3 to 4 ft.	1 25	10 00	87 50
Ligustrum ibota , Ibota Privet tr.		1 to 2 ft.	50	4 00	35 00
"	" twice tr.	1½ to 2½ ft.	75	6 00	50 00
"	ovalifolium , California Privet . . . tr.	1 to 1½ ft.	40	4 50	37 50
"	quihoui tr.	2 to 3 ft.	1 00	7 50	60 00

SHRUBS, continued

	Height	Per 10	100	1,000
Ligustrum sinense , Chinese Privet tr.	1½ to 2½ ft.	\$0 50	\$4 00	\$32 50
" " tr.	2½ to 3½ ft.	75	5 00	40 00
" " specimen plants, tr.	4 to 5 ft.	1 50	12 50	
Lindera . See Benzoin .				
Lonicera bella , Hybrid Honeysuckle tr.	4 to 5 ft.	1 50	10 00	
" fragrantissima , Bush Honeysuckle . . tr.	1½ to 2½ ft.	75	5 00	45 00
" " tr.	3 to 4 ft.	1 00	8 00	70 00
" " select, tr.	3½ to 4½ ft.	1 50	12 50	100 00
" involucrata , Fly Honeysuckle tr.	5 to 6 ft.	1 00	8 50	
" tatarica tr.	5 to 6 ft.	1 00	8 50	
For other species, see Vines.				
Lycium vulgare , Matrimony Vine tr.	1½ to 2 ft.	1 00	6 75	50 00
Mahonia . See Berberis .				
Myrica gale , Sweet Gale tr.	12 to 18 in.	1 00	8 50	
Opulaster opulifolius (<i>Neillia</i> or <i>Spiræa opulifolia</i>), Nine Bark . . . tr.	1½ to 2½ ft.	50	4 50	40 00
" " tr.	3 to 4 ft.	1 00	8 50	
" " tr.	5 to 6 ft.	1 25	10 00	
Philadelphus gloriosus tr.	5 to 6 ft.	1 75	15 00	
" gordonianus tr.	3 to 4 ft.	1 75		
" grandiflorus , Large-flowered Syringa . tr.	2½ to 3 ft.	1 00	6 00	47 50
" " tr.	4 to 5 ft.	1 25	8 00	70 00
" " tr.	5 to 6 ft.	1 75	15 00	
" hirsutus , Hairy Syringa tr.	4 to 5 ft.	1 00	6 00	
" " tr.	6 to 7 ft.	1 75	15 00	
" inodorus , Scentless Syringa . . . tr.	6 to 7 ft.	1 75	15 00	
" latifolius , Many-flowered Syringa . tr.	1 to 1½ ft.	1 00	8 00	67 50
" " tr.	4 to 5 ft.	1 50	10 00	87 50
" " tr.	6 to 7 ft.	1 75	15 00	
" " select, heavy, tr.	7 to 8 ft.	2 50	22 50	
" lewisi , Western Syringa tr.	5 to 6 ft.	1 75	15 00	
" pekinensis , Chinese Syringa . . . tr.	2½ to 3½ ft.	1 00	8 00	
Phillyrea angustifolia tr.	2 to 3 ft.	75	6 50	
" " tr.	3 to 4 ft.	1 00	8 00	67 50
Pieris japonica (<i>Andromeda japonica</i>) . . . tr.	8 to 10 in.	1 25	10 00	
Potentilla fruticosa , Shrubby Cinquefoil . . . tr.	2 to 3 ft.	1 00	8 50	
Prunus . See Trees .				
Ptelea trifoliata , Hop-tree tr.	4 to 5 ft.	1 00	7 50	50 00
" " tr.	5 to 6 ft.	1 25	10 00	75 00
Pyrus arbutifolia and nigra . See Aronia .				
" japonica (<i>Cydonia japonica</i>), Japanese Quince tr.	2 to 3 ft.	75	5 00	42 50
" " tr.	3 to 4 ft.	1 00	8 00	60 00
" " heavy, select, tr.	4 ft.	1 75	15 00	
" pygmæa , Dwarf Japanese Quince . tr.	1½ to 2 ft.	1 50	8 50	
For other species, see Trees.				
Rhamnus caroliniana , Carolina Buckthorn . . . tr.	3 to 4 ft.	1 00	8 50	
Rhododendron maximum , Great Laurel . . . tr.	2 to 2½ ft.	4 50	42 50	
Rhodotyus kerrioides , White Kerria . . . tr.	2 to 3 ft.	75	5 00	42 50
" " tr.	3½ to 4 ft.	1 00	7 00	55 00
" " select, heavy, tr.	4 to 5 ft.	2 00	15 00	
Rhus aromatica (<i>R. Canadensis</i>), Sweet-scented Sumac tr.	6 to 12 in.	1 00	7 50	
" copallina , Upland Sumac tr.	2 to 3 ft.	1 00	7 50	
" glabra , Smooth Sumac tr.	3 to 4 ft.	75	5 00	
" " tr.	5 to 6 ft.	1 00	7 50	

SHRUBS, continued

	Height	Per 10	100	1,000
Rhus michauxi , Dwarf Sumac tr.	12 to 14 in.	\$5 00		
Ribes curvatum , Small's Gooseberry tr.	1 to 1½ ft.	1 00	\$8 50	
Robinia hispida , Moss Locust or Rose Acacia . . tr.	1 to 2 ft.	1 00	8 50	
Rosa blanda , Meadow Rose tr.	2 to 3 ft.	75	6 00	\$45 00
Rosa bracteata , McCartney Rose tr.	2 to 3 ft.	1 00	8 50	
“ carolina , Swamp Rose tr.	1½ to 2½ ft.	60	5 00	40 00
“ Crimson Rambler tr.	1 ft.	1 00	7 50	
“ humilis , Low, or Pasture Rose tr.	1 to 1½ ft.	75	6 00	
“ multiflora , Japanese Climbing Rose tr.	3 to 4 ft.	1 00	7 50	60 00
“ repens , European Field Rose tr.	4 to 5 ft.	1 00	7 50	
“ rugosa , Wrinkled Japanese Rose tr.	1 to 2 ft.	1 00	7 50	60 00
“ setigera , Prairie Rose tr.	3 to 4 ft.	75	5 00	45 00
“ “ tr.	5 to 6 ft.	1 00	7 50	60 00
“ watsoni , Watson's Rose tr.	1 ft.	1 00	7 50	
“ wichuraiana , Memorial or Chinese Trailing Rose tr.	2 to 3 ft.	1 00	5 00	37 50
Rubus leucoderme , Western Raspberry tr.	3 to 4 ft.	1 00	8 50	
Salix incana , Rosemary Willow tr.	5 to 6 ft.	1 50	8 75	
“ nigra . See Trees .				
“ sericea , Silky Willow tr.	5 to 6 ft.	1 00	6 00	
Sambucus canadensis , Sweet Elder tr.	4 to 6 ft.	65	5 00	
Spiræa alba tr.	3 to 4 ft.	50	4 00	30 00
“ “ tr.	4 to 6 ft.	65	5 00	40 00
“ Anthony Waterer tr.	1 ft.	50	4 50	40 00
“ arguta select, tr.	2½ to 3 ft.	1 50	10 00	
“ bumalda tr.	1 to 1½ ft.	65	5 00	
“ callosa . See S. japonica .				
“ cantonensis plena (<i>S. reevesi</i>) tr.	3 to 4 ft.	75	5 00	45 00
“ “ “ select, heavy, tr.	4 to 5 ft.	1 50	10 00	85 00
“ douglasii tr.	3 to 4 ft.	1 00	7 50	
“ japonica tr.	1 to 1½ ft.	50	4 00	30 00
“ “ tr.	1½ to 2 ft.	65	5 00	40 00
“ “ alba tr.	1 to 1½ ft.	1 00	8 00	
“ macrophylla tr.	3 to 3½ ft.	1 00	8 00	
“ margaritæ tr.	2 to 3 ft.	50	4 00	32 50
“ “ heavy, select, tr.	2½ to 3½ ft.	1 00	7 50	56 75
“ menziesii tr.	3 to 4 ft.	1 00	7 50	
“ nicoudieri tr.	2 ft.	1 00	8 00	
“ opulifolia . See Opulaster opulifolius .				
“ prunifolia plena tr.	2½ to 3½ ft.	75	6 00	50 00
“ “ “ tr.	4 to 5 ft.	1 00	8 00	60 00
“ thunbergii tr.	1½ to 2 ft.	65	5 00	40 00
“ tomentosa , Hardhack or Steeple-bush . tr.	1½ to 2 ft.	65	5 00	
“ vanhouttei , Bridal Wreath tr.	2½ to 3½ ft.	65	5 00	40 00
“ “ tr.	3½ to 4½ ft.	1 00	6 75	52 50
“ “ heavy, select, tr.	4 to 4½ ft.	1 50	10 00	
“ virginiana tr.	1½ to 2 ft.	1 50		
Staphylea trifolia , Bladder-nut tr.	1½ to 2 ft.	75	6 00	50 00
“ “ select, tr.	3 to 3½ ft.	1 50	12 50	
Stephanandra flexuosa tr.	2½ to 3 ft.	1 00	6 75	60 00
Styrax americana , Storax tr.	2½ to 3½ ft.	1 00	8 75	
Symphoricarpos occidentalis , Wolfberry . . tr.	1½ to 2½ ft.	75		
“ “ tr.	2½ to 3½ ft.	1 00	8 00	
“ racemosus , Snowberry tr.	1 to 1½ ft.	75	6 00	
“ symphoricarpos (<i>S. vulgaris</i>), Coral-berry tr.	3 to 4 ft.	65	5 00	40 00

SHRUBS, continued

	Height	Per 10	100	1,000
Syringa chinensis , Chinese Lilac tr.	2 to 3 ft.	\$1 25	\$10 00	
“ Josikæa tr.	1 to 1½ ft.	1 00	8 00	
“ persica alba tr.	3 to 4 ft.	1 00		
“ vulgaris , Common Lilac tr.	2 to 3 ft.	75	5 00	\$40 00
“ “ alba , Common White Lilac . . . tr.	2 to 3 ft.	75	5 00	40 00
“ “ A. L. Spath tr.	2 to 3 ft.	1 00	8 00	
“ “ amcena tr.	3 to 4 ft.	1 25	10 00	
“ “ aurea tr.	2 to 3 ft.	1 00	8 00	
“ “ Camille de Rohan tr.	2 to 3 ft.	1 00		
“ “ Charles X tr.	3 to 4 ft.	1 25	10 00	
“ “ Colmariensis tr.	3 to 4 ft.	1 25	10 00	
“ “ Comte Horace de Choiseul . tr.	2 to 3 ft.	1 00		
“ “ Cloire des Moulins tr.	3 to 4 ft.	1 25	10 00	
“ “ grandiflora tr.	2 ft.	1 00		
“ “ Marie Lefraye tr.	3 to 4 ft.	1 25		
“ “ Prince Nottger tr.	2 to 3 ft.	1 00		
“ “ Renoncule tr.	3 to 4 ft.	1 25		
“ “ rubra de Marley tr.	3 to 4 ft.	1 25		
“ “ Schermerhorni tr.	3 to 4 ft.	1 25		
“ “ Senateur Volland tr.	3 to 4 ft.	1 25		
“ “ Tangiers tr.	2 ft.	1 00		
“ “ Verschaffelti tr.	3 to 4 ft.	1 25		
“ “ Ville d'Imoges tr.	2 to 3 ft.	1 00		
“ “ Volteana tr.	2 to 3 ft.	1 00		
Vaccinium stamineum , Deerberry or Buckberry . tr.	10 to 12 in.	1 00	8 50	
Viburnum dentatum , Arrow-wood tr.	2½ to 3½ ft.	75	6 00	50 00
“ “ tr.	4 to 4½ ft.	1 00	7 50	60 00
“ “ select, heavy, tr.	5 to 6 ft.	1 50	10 00	82 50
“ lentago , Sheep-berry tr.	2 to 3 ft.	1 50	10 00	
“ molle , Soft-leaved Arrow-wood . . . tr.	1 to 1½ ft.	1 00	8 50	
“ “ tr.	2 to 3 ft.	1 25	10 00	
“ opulus , High-bush Cranberry tr.	2 to 3 ft.	1 50	10 00	
“ “ sterile , Snowball tr.	2 to 3 ft.	1 00	7 50	
“ “ “ tr.	3 to 4 ft.	1 50	10 00	
“ venosum , Veiny-leaved Arrow-wood . tr.	1½ to 2½ ft.	1 25	10 00	
“ “ tr.	5 to 6 ft.	1 50	12 50	
Vitex negundo , Chaste Tree tr.	2 to 3 ft.	1 25	10 00	
“ “ tr.	4 to 5 ft.	1 50	12 50	
Weigelia . See Diervilla .				
Xanthorrhiza apifolia , Yellow-root . . . 2 yrs., tr.		65	4 00	30 00
“ “ strong, 3 yrs., tr.		75	5 50	40 00
“ “ strong, 4 yrs., tr.		1 00	7 50	50 00
Xollisma ligustrina (<i>Andromeda ligustrina</i>), Privet-leaved Andromeda tr.	1 to 1½ ft.	1 00	8 50	

VINES

	Height	Per 10	10	1,000
Actinidia arguta tr.	1½ to 2 ft.	\$1 00	\$8 75	
Akebia quinata , Five-leaved Akebia tr.	1 to 1½ ft.	50	4 00	\$37 50
" " strong, tr.	3 to 4 ft.	60	5 00	40 00
Ampelopsis. See Parthenocissus .				
Berchemia racemosa , Japanese Supplejack . . tr.	2 to 3 ft.	1 00	8 50	
Bignonia crucigera (<i>B. capreolata</i>), Cross-vine . tr.	1½ to 3 ft.	1 00	8 50	
Bradleya chinensis (<i>Wistaria chinensis</i>), Chinese				
<i>Wistaria</i> 3 yrs., tr.	3 to 4 ft.	1 00	7 50	60 00
" frutescens (<i>Wistaria frutescens</i>),				
American <i>Wistaria</i> 3 yrs., tr.	2 to 3 ft.	75	6 00	50 00
Brunnichia ciliata , Brunnichia 3 yrs., tr.		1 00	8 50	
Celastrus articulatus , Japanese Staff Vine . . tr.	4 to 5 ft.	1 00	7 50	65 00
" scandens , Shrubby or Climbing Bitter-				
sweet tr.	4 to 5 ft.	1 00	7 50	65 00
Clematis apiifolia , Parsley-leaved Clematis . 4 yrs., tr.		1 00	8 50	
Dolichos. See Pueraria .				
Euonymus radicans. See under Shrubs .				
Hedera helix , English Ivy from pots	6 to 12 in.	50	4 00	37 50
" " from pots	1 to 1½ ft.	75	5 00	42 50
Lonicera glaucescens tr.	3 to 4 ft.	1 25	10 00	
" japonica , Japanese Honeysuckle. 2 yrs., tr.		50	3 00	22 50
" sempervirens , Trumpet or Coral Honey-				
suckle tr.	2 to 3 ft.	50	4 50	40 00
" " tr.	3 to 4 ft.	60	5 00	
" sullivantii , Sullivant's Honeysuckle . . tr.	3 to 4 ft.	1 00	8 50	
For other species, see Shrubs .				
Lycium. See Shrubs .				
Parthenocissus quinquefolia (<i>Ampelopsis quin-</i>				
<i>quefolia</i>), Virginia Creeper .				
" tricuspidata (<i>Ampelopsis</i>	1 yr., tr.	50	4 50	
<i>veitchii</i>), Boston or Japanese				
Ivy tr.	6 to 12 in.	75	6 00	
Periploca graeca , Silk Vine tr.	2½ to 3 ft.	1 00	7 50	
Pueraria thunbergiana (<i>Dolichos japonicus</i>),				
Kudzu Vine 2 yrs., tr.		2 00	15 00	
Roses , Climbing. See Shrubs .				
Smilax glauca , Catbrier tr.	2 to 3 ft.	1 25	10 00	
" hispida , Hispid Greenbrier tr.	3 to 4 ft.	1 25	10 00	
" rotundifolia , Catbrier tr.	3 to 4 ft.	1 25	10 00	
Vitis baileyana , Bailey's Grape tr.	1½ to 2½ ft.	75	6 00	50 00
" cordifolia , Chicken or Frost Grape . . . tr.	1½ to 2½ ft.	75	6 00	50 00
" labrusca , Fox Grape tr.	3 to 4 ft.	1 00	8 50	
" " tr.	4 to 6 ft.	1 25	10 00	
Wistaria. See Bradleya .				

Herbaceous Plants, Grasses and Bamboos

	Per 10	100	1,000
Achillea millefolium , Milfoil field-grown	\$0 50	\$3 00	\$25 00
Adiantum pedatum , Maidenhair Fern strong, field-grown	50	3 50	30 00
Aquilegia vulgaris , Columbine 2 yrs., field-grown	1 00	6 50	50 00
Artemisia abrotanum , Southernwood field-grown	1 00		
Arundinaria auricoma , Golden-variegated Cane clumps	3 50	30 00	
“ japonica (<i>Bambusa metake</i>), Japanese Cane strong clumps	3 50	30 00	200 00
“ macroserma , Large American Cane . . strong clumps	2 75	20 00	150 00
“ slmoni , Large Chinese Cane strong clumps	3 50	30 00	
“ tecta , Small American Cane strong clumps	2 75	20 00	150 00
Arundo donax , Great Reed clumps	1 00	6 50	60 00
“ “ extra heavy clumps	2 00	15 00	100 00
Aspidium . See Dryopteris .			
Aster novæ-angliæ , New England Aster field-grown	1 00		
Bamboos . See Arundinaria , Bambusa and Phyllostachys .			
Bambusa palmata , Veiny-leaved Bamboo strong clumps	3 50	30 00	200 00
“ velitchi strong clumps	3 50	30 00	
Belamcanda . See Gemmingia .			
Bocconia cordata , Japanese Bocconia field-grown	75	5 00	
Carex japonica field-grown	1 00	7 50	
Castalia tuberosa (<i>Nymphæa tuberosa</i>), White Water Lily strong tubers	2 50	22 50	
Cerastostigma plumbaginoides (<i>Plumbago larpenæ</i>), Leadwort field-grown	1 00	8 50	
Clematis aplifolia . See Vines .			
Convallaria majalis , Lily-of-the-Valley strong, field-grown	50	3 50	27 50
Desmodium penduliflorum . See Lespedeza .			
Dryopteris acrostichoides (<i>Aspidium acrostichoides</i>), Christmas Fern nursery-grown	75	5 00	45 00
“ marginalis (<i>Aspidium marginale</i>), Evergreen Wood Fern nursery-grown	75	5 00	
Dugaldia hoopesi nursery-grown	1 00	8 50	
Elymus glaucus , Smooth Wild Rye field-grown	1 00	7 50	
Eulalia . See Miscanthus .			
Eupatorium purpureum fl. pl. , Double Joe Pye Weed . . field-grown	1 00		
Funkia ovata (<i>F. lanceolata</i>) field-grown	1 00	7 50	
Gemmingia chinensis (<i>Belemcanda</i> and <i>Pardanthus chinensis</i>), Blackberry Lily field-grown	50	3 00	
Geranium sanguineum , Crimson Crane's Bill field-grown	1 00	8 50	
Helleborus niger , Christmas Rose field-grown	1 50		
Hellianthemum vulgare , Rockrose field-grown	50	4 50	
Helianthus dowellianus , Dowell's Sunflower field-grown	1 00	7 50	50 00
“ longifolius , Long-leaved Sunflower field-grown	1 00	7 50	
Hemerocallis dumortieri , Dwarf Day Lily field-grown	1 00	7 50	
“ flava , Lemon Lily field-grown	50	4 00	
“ fulva , Day Lily field-grown	50	3 50	27 50
“ thunbergi , Thunberg's Day Lily field-grown	1 00	7 50	
Hymenocallis occidentalis , Spider Lily field-grown	2 00		
Hypericum sphærocarpum , Round-podded St. John's wort field-grown	1 00		
For other species, see Shrubs			
Iberis sempervirens , Hardy Candytuft 1 yr., tr.	50	4 00	30 00
“ “ 2 yrs., tr.	1 00	6 50	50 00
Iris cristata , Crested Dwarf Iris strong, field-grown	50	3 50	25 00
“ germanica , Fleur-de-lis strong, field-grown	50	3 50	25 00
“ lævigata (<i>I. kæmpferi</i>), Japanese Iris strong, field-grown	50	3 50	25 00

HERBACEOUS PLANTS, GRASSES, ETC., continued

	Per 10	100	1,000
Iris missouriensis , Western Blue Flag	strong, field-grown	\$1 00	\$7 50
“ pumila , European Dwarf Iris	strong, field-grown	50	3 50
“ sibirica , Siberian Iris	strong, field-grown	50	3 50
“ verna , American Dwarf Iris	strong, field-grown	50	3 50
“ versicolor , Large Blue Flag	strong, field-grown	50	3 50
Lespedeza japonica , White-flowered Lespedeza	1 yr., tr.	1 00	6 75
“ “	2 yrs., tr.	1 25	10 00
“ “	4 yrs., tr.	1 50	12 50
“ sieboldi (<i>Desmodium penduliflorum</i>), Siebold's Lespedeza	1 yr., tr.	1 00	6 75
“ “	2 yrs., tr.	1 25	7 50
“ “	3 yrs., tr.	1 50	8 75
“ “	4 yrs., tr.	2 00	10 00
Liriope graminifolia (<i>Ophiopogon spicatus</i>), Purple-flowered Snake-beard	strong, field-grown	1 00	8 50
Lysimachia clethroides	strong, field-grown	50	4 00
“ nummularia , Moneywort	4-inch clumps	1 25	10 00
“ “	1 yr., tr.	50	3 50
Marshallia grandiflora , Large-flowered Marshallia	field-grown	75	5 00
“ mohri , Mohr's Marshallia	field-grown	75	5 00
“ obovata , Dwarf Marshallia	field-grown	75	5 00
“ trinerva , Broad-leaved Marshallia	field-grown	75	5 00
Miscanthus japonicus (<i>Eulalia japonica</i>)	clumps	75	5 00
“ sinensis (<i>Eulalia gracillima univittata</i>)	clumps	75	5 00
Monarda didyma , Oswego Tea	field-grown	1 00	7 50
Nelumbo nelumbo (<i>Nelumbium speciosum</i>), Indian Lotus	strong tubers	5 00	45 00
Nymphæa . See Castalia .			
Ophiopogon . See Liriope .			
Pachysandra procumbens , Alleghany Mountain Spurge	1 yr., tr.	75	5 00
“ terminalis , Japanese Spurge	1 yr., tr.	75	5 00
Pæonia , Peony, Herbaceous, named varieties, single and double	strong plants	1 50	12 50
“ “	heavy plants, 7 yrs. old	2 00	17 50
Pandanthus . See Gemmingia .			
Phlox amplifolius , Large-leaved Phlox	field-grown	1 50	10 00
“ decussata , named varieties	strong plants	1 00	8 00
“ hentzi , Southern Moss Pink	field-grown	1 50	10 00
“ subulata , Ground or Moss Pink	field-grown	50	4 50
Phragmites phragmites (<i>P. communis</i>), Reed	strong roots	1 00	8 50
Plumbago . See Ceratostigma .			
Phyllostachys aurea , Yellow Bamboo	strong clumps, each	\$1.	
“ kumasasa (<i>Bambusa viminalis</i>), Ruscus-leaved Bamboo	strong clumps, ea.	65c.	
“ mitis , Tall Bamboo	strong clumps, each	\$1.	
“ marliacea , Marliac's Bamboo	strong clumps, each	\$1.	
Potentilla tridentata , Three-toothed Cinquefoil	strong, field-grown	60	5 00
Ranunculus repens , Creeping Buttercup	strong, field-grown	75	5 00
Rudbeckia , Golden Glow	strong, field-grown	75	4 00
Sedum spectabile , Large-flowered Orpine	strong, field-grown	75	5 00
Solidago rigida , Stiff Goldenrod	strong, field-grown	75	5 00
Stokesia cyanea , Stokes' Blue Aster	field-grown	1 00	8 00
Tanacetum vulgare crispum , Tansy	strong, field-grown	50	3 50
Thymus vulgaris , Thyme	strong, field-grown	1 00	8 50
Tradescantia montana , Spiderwort	strong, field-grown	50	4 50
“ virginica , Virginia Spiderwort	strong, field-grown	50	4 50
Verbena canadensis , Large-flowered hardy Verbena	field-grown	1 00	8 50
Veronica rupestris , Rock Speedwell	field-grown	50	4 50
Yucca filamentosa , Adam's Needle	2 yrs., tr.	75	4 50
“ “	extra strong, 3 yrs., tr.	1 00	7 50



